

ANSI/SAIA A92.2 – 2015

AMERICAN NATIONAL STANDARD

for

Vehicle-Mounted Elevating and Rotating Aerial Devices



**American National Standards
Institute 11 West 42nd Street New York, New
York 10036**

This is a preview of "ANSI/SAIA A92.2-2015". [Click here to purchase the full version from the ANSI store.](#)

Date of Publication: July 7, 2015

Effective Date: June 2016

This Standard was approved by the American National Standards Institute on

The design and manufacturing requirements of this standard apply to all aerial platforms manufactured on or after the effective date. All other provisions of this standard apply to both new and existing units delivered by sale, lease, rental or for any form of beneficial use on or after the effective date.

The effective date is established by the standards developer and not by the American National Standards Institute.

This standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the standard was balanced to ensure that individuals from competent and concerned interests have had an opportunity to participate. The proposed standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public at large.

The Scaffold & Access Industry Association, Inc. (SAIA) does not “approve,” “rate,” or “endorse” any item, construction, proprietary device or activity.

The Scaffold & Access Industry Association, Inc. (SAIA) does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to ensure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor does it assume any such liability. Users of this standard are expressly advised that the determination of the validity of any such patent rights, and the risk of the infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated within the industry is not to be interpreted as government or industry endorsement of this standard.

The Scaffold & Access Industry Association, Inc. (SAIA) accepts responsibility for only those interpretations issued in accordance with governing ANSI Essential Requirements, which preclude the issuance of interpretations by individual volunteers.

ANSI/SAIA
A92.2-2015

AMERICAN NATIONAL STANDARD
for VEHICLE-MOUNTED ELEVATING
and ROTATING AERIAL DEVICES

Secretariat
Scaffold & Access Industry Association, Inc.

Approved June 26, 2016
American National Standards Institute, Inc.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by
Scaffold & Access Industry Association, Inc.
400 Admiral Boulevard
Kansas City, MO 64106
www.saiaonline.org

Copyright ©2015 by the Scaffold & Access Industry Association, Inc.
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

FOREWORD

This foreword is not part of American National Standard for vehicle-mounted aerial devices, ANSI/SAIA A92.2-2015.

This standard is one of a series on aerial platforms developed under the committee procedures of the American National Standards Institute. The A92 standards committee was organized by the Institute in 1948. The Scaffold & Access Industry Association, Inc. serves as Secretariat.

The primary objective of this standard is to prevent accidents associated with the use of vehicle-mounted aerial devices by establishing requirements for design, manufacture, installation, maintenance, performance, use and training.

Interpretations and Suggestions for Improvement

All inquiries requesting interpretation of the Committee's approved American National Standards must be in writing and directed to the Secretariat. The A92 Committee shall approve the interpretation before submission to the inquirer. No one but the A92 Committee is authorized to provide any interpretation of this standard.

The A92 Committee solicits comments on and criticism of the requirements of the standards. The standards will be revised from time to time where necessary or desirable, as demonstrated by the experience gained from the application of the standards. Proposals for improvement of this standard will be welcome. Proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed rationale for the proposal, including any pertinent documentation.

All requests for interpretation and all suggestions for improvement shall be forwarded in writing to the ASC A92 Committee, c/o Secretariat ~ Scaffold & Access Industry Association, 400 Admiral Boulevard, Kansas City, MO 64106.

This Standard was processed and approved for submittal to ANSI by Accredited Standards Committee Aerial Platforms, A92 Aerial Work Platforms. The ASC A92 committee's approval of the standard does not necessarily imply that all committee members voted for its approval. At the time the ASC A92 committee approved this standard, the A92 Aerial Work Platforms Committee had the following members:

Dave Merrifield, Chairman
Frank Bonesteel, Vice-Chairman

Alimak Hek, Inc.....	Gregory Janda
Altec HiLine, LLC.....	Eric Lumberg
Altec Industries, Inc.....	Bryan Hall
American Rental Association	Carla Brozick
Arrowhead Aerial Products, Inc.	Sharon McCarty
Arrowhead Product Development, Inc.	Gary Werkhoven
Association of Equipment Manufacturers	Daniel Moss
Beta Max, Inc.....	Shanon Beekman
Blazing Technologies	Robert Backer
Brewington & Company.....	John Brewington

C.W. Wright Construction.....	Michael Stiles
Century Elevators	Paula Manning
CPWR – The Center for Construction Research & Training	Pam Susi
Disneyland.....	Kenneth Colonna
Diversified Inspections/ITL.....	Leland Bisbee
Duke Energy Carolina East	David Benson
Duke Energy Florida.....	Daniel Mueller
Eckstine & Associates, Inc.	Dennis Eckstine
Elliott Equipment Company	Jason White
Entergy.....	Howard Guillory
Equipment Consultant Services Unlimited, Inc.....	Bradley Nester
Equipment Safety Consultants Inc.....	Charles “Mark” Recard
Equipment Technology LLC	Brian Davis
Eric A. Schmidt, P.E.....	Eric Schmidt
Evulich & Associates.....	Barris Evulich
ExxonMobil.....	Frank Radio
EZ Scaffold.....	James Hinton
Fraco Products	Francois Villeneuve
GAR Equipment	Richard Stollery
Genie Industries	Richard Curtin
Global Rentals	Joshua Chard
Global Safety & Equipment, Inc.	Geoffrey Arther
H&E Equipment Services.....	Frankie Wynn
Haulotte Group	Shahid Qureshi
Hayden Enterprises.....	Bud Hayden
Heath & Associates.....	Frederick Heath
Helac Corporation.....	Carl Kishline
Hy-Brid Lifts/Custom Equipment	Jeff Valind
Hydro Mobile, Inc.....	Kevin O’Shea
Intercontinental Equipment Company LLC	Ron Norris
International Masonry Institute.....	Michael Kassman
IPAF, Ltd.....	Tony Groat
Irex Contracting Group.....	Tom Pokornik
Ives Training & Compliance Group, Inc.	Robert Vetter
JLG Industries, Inc.....	Steven Forgas
Klimer Platforms	James Gordon
Lee Electrical Construction	John Cook
Lift-A-Loft Corporation.....	Chris Barefoot
MEC Aerial Work Platforms	David White
Merrifield Safety Consulting LLC.....	Dave Merrifield
Moog USA, Inc.....	Martin Schweizer
NES Rentals.....	Teresa Kee
OEM Controls, Inc.....	Harold Meeker
Phenix Technologies.....	Mark Miller
Pike Electric, Inc.....	Cliff Edwards
Power Equipment Leasing Company, Inc.	Tracy Schroeder
Reynolds Engineering Servicing Inc.	Stephen Reynolds
Safway Services.....	Ted Beville
SEA, Ltd	Brian Boggess

Sexton's Equipment Rental, Inc.....	David Sexton
Skyjack, Inc.	Brad Boehler
Snorkel International, Inc.	Jeff Eckhardt
Southern California Edison.....	Randy Stone
Southern Company – Alabama Power Company	Ted Barron
Sunbelt Rentals	Jeff Stachowiak
Sunstate Equipment Co.....	Jake Kidd
Terex South Dakota, Inc.	Jim Olson
The Von Corporation	Fred von Herrmann
Time Manufacturing Company.....	James Christian
TRICO Lift	Jeff Walker
TRL Rents, LLC	Keith Joseph
United Rentals	Jim Dorris
Utility Truck Equipment & Parts, LLC	John Mlaker
Vollmer-Gray Engineering	Paul Guthorn
Waco Boom Company.....	Jonathan Woods
Wiss, Janney, Elstner Associates, Inc.....	Jason Kamman
Xtreme Manufacturing.....	Richard Hoffelmeyer

Subcommittee A92.2 on Vehicle-Mounted Elevating and Rotating Aerial Devices, which developed this standard, had the following members:

Joshua Chard, Chairman

Ted Barron

David Benson

Robert Borer

John Brewington

Randall Breyer

James Christian

Kenneth Colonna

John Cook

Al Courchesne

Brian Davis

Cliff Edwards

Michael Fisher

Howard Guillory

Bryan Hall

Richard Hoffelmeyer

Robert Hofmiller

Keith Joseph

Jake Kidd

Eric Lumberg

Sharon McCarty

David Merrifield

Mark Miller

John Mlaker

Dan Mueller

Ron Norris

Jim Olson

Daniel Pohly

Stephen Reynolds

Tracy Schroeder

Bob Simon

David Skarshaug

Michael Stiles

Randy Stone

Jerry Tanner

Fred von Hermann

Gary Werkhoven

Jason White

Jonathan Woods

1. Scope, Purpose, Requirements, and Application	1
1.1 Scope.....	1
1.1.1 Equipment Covered.....	1
1.1.2 Equipment Not Covered.....	1
1.2 Purpose.....	1
1.3 Requirements.....	1
1.4 Application.....	1
2. Referenced and Related Standards	2
2.1 Referenced Standards.....	2
2.2 Related Standards.....	2
3. Definitions	3
4. Design Requirements	5
4.1 Basic Principles.....	5
4.2 Structural Analysis.....	6
4.3 Controls	6
4.3.1 General.....	6
4.3.1.1 Visibility at Control Positions.....	6
4.3.1.2 Unlocking or Enabling Device.....	6
4.3.2 Upper Controls	6
4.3.3 Lower Controls.....	6
4.3.4 Ground Travel Controls.....	7
4.3.5 Emergency Stop.....	7
4.3.6 Stabilizer Controls.....	7
4.3.7 Winch Control.....	7
4.3.8 Platform Level Adjustment.....	7
4.3.9 Automatic or Programmed Operation.....	7
4.3.10 Hydraulic Isolation/Selector Device	7
4.4 Securing Devices.....	7
4.4.1 Ladder Securing Device.....	7
4.4.2 Boom Securing Device.....	7
4.4.3 Platform Security.....	7
4.4.4 Locking Pins.....	7
4.5 Stability	8
4.5.1 Stability on Level Surfaces.....	8
4.5.2 Stability on Slopes.....	8
4.5.3 Effects of Stability Test.....	8
4.5.4 Slope Indicator	8
4.5.5 Stabilizer Interlock Device.....	8
4.5.6 Oscillating Axle Interlock Device.....	8
4.5.7 Manually Operated Stabilizers.....	8
4.5.8 Parking Brake Interlock.....	8
4.6 Hydraulic System.....	9
4.6.1 Bursting Safety Factors	9
4.6.2 Venting of Air	9
4.6.3 Reservoir Vent Filter	9
4.6.4 Fluid Level Indicators	9
4.6.5 Fluid Cleanliness.....	9
4.6.6 Gas-loaded Accumulators	9
4.7 Hydraulic Cylinders	9
4.7.1 Safety Factors.....	9

4.7.2 Column Load.....	9
4.7.3 External Load.....	9
4.7.4 Threaded Components.....	9
4.7.5 Hydraulic Pressure Rise.....	10
4.8 Platform or Load Motion.....	10
4.8.1 System Protection.....	10
4.8.2 Platform Creep.....	10
4.9 Platforms.....	10
4.9.1 Guardrail System.....	10
4.9.2 Ladder Type.....	10
4.9.3 Folding Type Floors.....	10
4.9.4 Anchorage(s) for Personal Fall Protection.....	10
4.9.4.1 Location.....	10
4.9.4.2 Markings.....	10
4.9.4.3 Strength Requirement.....	10
4.9.4.4 Connector Requirement.....	11
4.9.4.5 Surface.....	11
4.9.5 Buckets or Baskets.....	11
4.9.5.1 Non-insulating buckets or baskets designed for use with insulating liners.....	11
4.9.5.2 Non-insulating buckets or baskets designed for use without liners.....	11
4.9.5.3 Insulating baskets or buckets.....	11
4.9.5.4 Dimensions.....	11
4.10 Covers.....	11
4.10.1 Aerial devices intended for gloving work methods.....	11
4.10.2 Cover Requirements.....	11
4.11 Markings.....	11
4.11.1 Type of Markings:.....	11
4.11.2 Design of Markings.....	11
5. Electrical Systems, Devices and Test Procedures.....	11
5.1 Electrical Specifications.....	11
5.1.1 Insulation.....	11
5.1.2 Insulating Aerial Device Categories.....	12
5.2 Electrical Requirements.....	12
5.2.1 Insulating Systems.....	12
5.2.1.1 Insulating Hydraulic Hoses.....	12
5.2.2 Vacuum Prevention Systems.....	12
5.2.3 Lower Test Electrode System for insulating Aerial Devices.....	13
5.2.3.1 Conductive Bands.....	13
5.2.3.2 Conductive Connections.....	13
5.2.3.3 Electrical Monitoring Circuit.....	13
5.2.4 Gradient Control Devices & Conductive Shield(s).....	13
5.2.4.1 Gradient Control Devices.....	13
5.2.4.2 Conductive Shield(s).....	13
5.2.5 Chassis Insulating System.....	13
5.2.6 Upper Controls.....	14
5.3 Electrical Tests for Insulating Aerial Devices.....	14
5.3.1 Design Voltage Test.....	14
5.3.2 Qualification Test.....	14
5.3.3 Periodic Electrical Test.....	14
5.3.4 Before Use Test.....	14

5.4 Electrical Test Procedures	14
5.4.1 General	14
5.4.2 Design, Qualification, and Quality Assurance Test Procedures	14
5.4.2.1 Test Procedures for Category A & B Aerial Devices	14
5.4.2.2 Test Procedures for Category C, D and E Aerial Devices	15
5.4.2.3 Test Procedures for Aerial Ladders and Vertical Towers, with Insulating Boom Sections.....	15
5.4.2.4 Test Procedures for Chassis Insulating Systems	15
5.4.2.5 Test Procedures for Insulating Liners	15
5.4.2.6 Confirmation Test of Upper Control Components with High Electrical Resistance..	15
5.4.2.7 Test Procedures for Extensible Boom Aerial Devices with Permanent Electrodes.....	15
5.4.3 Periodic/Maintenance Test Procedures.	15
5.4.3.1 Test Procedures for Category A and B Insulating Aerial Devices.....	15
5.4.3.2 Test Procedures for Category C, D and E Aerial Devices	16
5.4.3.3 Test Procedures for Aerial Ladders and Vertical Towers with Insulating Boom Sections.....	17
5.4.3.4 Test Procedures for Chassis Insulating Systems	17
5.4.3.5 Test Procedures for Insulating Liners	17
5.4.3.6 Test of Upper Control Components with High Electrical Resistance	17
5.4.3.7 Test Procedures for Extensible Boom Aerial Devices without Permanent Electrodes or with Electrodes and Tested as a Category C Device.	18
5.5 Electrical Test Equipment.	18
5.6 Electrical Certification	18
6. Responsibilities of Manufacturers	18
6.1 General Responsibilities.....	18
6.2 Specifications	18
6.2.1 Vehicle Specifications.....	18
6.2.2 Aerial Device Specifications	18
6.2.2.1 General	18
6.2.2.2 Capacity.....	18
6.2.2.3 Rated Platform Height.....	18
6.2.2.4 Platform Reach.....	18
6.2.2.5 Multiple Configurations	18
6.2.2.6 Design Voltage.....	19
6.2.2.7 Qualification Voltage.....	19
6.3 Quality Assurance.	19
6.4 Manuals	19
6.5 Markings.	19
6.5.1 Application of Markings.	19
6.5.2 Identification Markings.....	19
6.5.3 Operational Markings.....	20
6.5.4 Instructional Markings	20
6.6 Mechanical Tests and Inspection.	20
6.6.1 Operational Tests.....	20
6.6.2 Visual Inspection.....	20
6.7 Electrical Tests	20
6.8 Installation Instructions	21

6.9 Welding.	21
6.10 Training and Training Materials	21
7. Responsibilities of Dealers and Installers	21
7.1 General Responsibilities.....	21
7.2 Vehicle Specifications.....	21
7.3 Vehicle Weight Distribution	21
7.4 Manuals.	21
7.5 Installations.	21
7.5.1 Locking Pins.....	21
7.5.2 Unauthorized Use.....	21
7.6 Ingress/Egress.....	22
7.6.1 Steps/Ladders.....	22
7.6.2 Access Opening/Passage.....	22
7.6.3 Three Point Support.	22
7.7 Quality Assurance.....	22
7.8 Weldings.....	22
7.9 Training.	22
7.9.1 Dealer or Installer as User.....	22
7.10 Maintenance Training.....	22
8. Responsibilities of Owners	22
8.1 General Responsibilities.....	22
8.2 Inspection and Testing Classifications	22
8.2.1 Initial Inspection and Test.....	22
8.2.2 Regular Inspection and Tests	22
8.2.3 Frequent Inspection and Test:	22
8.2.4 Periodic Inspection or Test.....	23
8.2.5 Post Event Inspection or Test.....	24
8.3 Inspection and Test Records	24
8.3.1 Frequent.....	24
8.3.2 Periodic.....	24
8.4 Maintenance.....	24
8.4.1 Maintenance Training.....	24
8.4.2 Weldings.....	25
8.5 Modifications.....	25
8.5.1 Alterations.....	25
8.5.2 Overriding Safety Devices.....	25
8.6 Weight Distribution.....	25
8.7 Transfer of Ownership	25
8.8 Markings.....	25
8.9 Parts	25
8.10 Safety Bulletins.....	25
8.11 Manuals.....	25
8.12 Training, Retraining, and Familiarization of Operators.....	25
8.12.1 General Training.....	26
8.12.2 Retraining.....	26
8.12.3 Familiarization	26
8.13 Owner as a Lessor.....	26
9. Responsibilities of Users	26
9.1 General Responsibilities.....	26
9.2 Personnel.....	26

9.3 Training, Retraining, and Familiarization of Operators	26
9.3.1 General Training:	26
9.3.2 Retraining	27
9.3.3 Familiarization	27
9.3.4 Proof of Training	27
9.3.5 Record Keeping	27
9.4 Application	27
9.5 Electrical Hazards	27
9.6 Bare-Hand Work	28
9.7 Lower Controls	28
9.8 Manufacturer’s Safety Bulletins	28
10. Responsibilities of Operators	28
10.1 General Responsibilities	28
10.2 Personnel	28
10.3 Operation	28
10.4 Work Platform	28
10.5 Brakes	28
10.6 Loading	28
10.6.1 Vacating or Entering an Elevated Aerial Device	28
10.6.2 Carrying Materials Larger than the Platform	28
10.7 Alterations	28
10.7.1 Overriding Safety Devices	28
10.8 Observations	29
10.8.1 Pre-start Inspection	29
10.8.2 Transporting	29
10.9 Worksite	29
10.10 Precautions	29
10.11 Mobile Operation	30
10.11.1 Driver Precautions	30
10.12 Training, Retraining, and Familiarization of Operators	30
10.12.1 General Training	30
10.12.2 Retraining	30
10.12.3 Familiarization	30
10.13 Electrical Hazard	31
11. Responsibilities of Lessors or Lessees	31
11.1 General Responsibilities	31
11.1.1 Lessor or Lessee as Dealer or Installer	31
11.1.2 Lessor or Lessee as Owner	31
11.1.3 Lessor or Lessee as User	31
11.1.4 Lessor or Lessee as Operator	31
11.2 Ownership Responsibilities	31
11.3 Obligations	31
11.3.1 Inspection and Test	31
11.3.2 Responsibilities	31
11.4 Training	31
11.4.1 General Training	31
11.4.2 Familiarization	32
11.5 Communications	32
11.6 Use of Brokers	32
12. Responsibilities of Brokers	33

12.1 Broker Involved In a Sale.....	33
12.2 Broker Involved In a Lease	33

TABLES

Table 1: Design, Quality Assurance and Qualification Test Values.....	34
Table 2: Periodic Electrical Test Values	36
Table 3: Before Use Tests	37

FIGURES

Figure 1: Dielectric Test Configuration for Category A & B Aerial Devices	38
Figure 1A: Details of Lower Test Electrode Assembly & Conductive Shield	39
Figure 2: Dielectric Test Configuration for Category C Aerial Devices	40
Figure 2A: Optional Dielectric Test Configuration for Category C Aerial Devices.....	41
Figure 3: Dielectric Test Configuration for Chassis Insulating Systems	42
Figure 3A: Suggested Shunting Arrangement for Chassis Insulating System.....	43
Figure 4: Boom Positions for Dielectric Test of Extensible Insulating Aerial Devices.....	44
Figure 5: Typical Bonding Arrangements for Category A Aerial Devices.....	45
Figure 6: Confirmation Test of Upper Control Components w/High Electrical Resistance.....	46
Figure 7: Recommended Identification Plate Format	47

APPENDICES

Appendix A: Electrical Test Terminology and Clarification.....	48
Appendix B: DC Application.....	48
Appendix C: Application and Uses of Aerial Devices.....	49
Appendix D: Electrical Tests for Aerial Devices, Insulated Platforms and Insulated Ladders for AC Application	49
Appendix E: Electrical Tests for Aerial Devices Built in Compliance to Earlier Editions of this Standard.	50
Appendix F: Precautions for Use of Aerial Devices on or near Energized Apparatus	51
Appendix G: Recommended Identification & Instruction Symbols for Control Function	55

1. Scope, Purpose, Requirements, and Application

1.1 Scope.

1.1.1 Equipment Covered. This standard relates to the following types of vehicle-mounted aerial devices:

- (1) Extensible boom aerial devices.
- (2) Aerial ladders.
- (3) Articulating boom aerial devices.
- (4) Vertical towers.
- (5) A combination of any of the above. The vehicle may be a truck, a trailer, or an all-terrain vehicle.

1.1.2 Equipment Not Covered. This standard does not apply to the equipment listed below:

- (1) Non self-propelled elevating aerial platforms such as those covered in American National Standard for Manually-Propelled Elevating Platforms ANSI/SAIA A92.3-2006 (R2014).
- (2) Self-propelled elevating aerial platforms having a platform that can be positioned completely beyond the base such as those covered in American National Standard for Boom-Supported Elevating Work Platforms, ANSI/SAIA A92.5-2006 (2014).
- (3) Self-propelled elevating aerial platforms having a platform that cannot be positioned completely beyond the base such as those covered in American National Standard for Self-Propelled Elevating Work Platforms, ANSI/SAIA A92.6-2006 (R2014).
- (4) Vehicle-mounted vertical lift devices such as those covered in American National Standard for Airline Ground Support Vehicle-Mounted Vertical Lift Devices, ANSI/SAIA A92.7-2014.
- (5) Vehicle-Mounted Bridge Inspection and Maintenance Devices such as those covered in ANSI/SIA A92.8-2006 (R2011).
- (6) Mast Climbing Work Platforms such as those covered in ANSI/SIA A92.9-2011.
- (7) Transport Platform such as those covered in ANSI/SAIA A92.10-2009 (R2014).
- (8) Equipment such as that covered in ANSI/ASME A120.1- 2006 Safety Requirements for Powered Platforms for Building Maintenance.
- (9) Vertically adjustable equipment used primarily to raise and lower materials and equipment from one elevation to another such as that covered in

American National Standards in the A17 and B56 series.

(10) Fire-fighting equipment such as that covered in American National Standard for Automotive Fire Apparatus, ANSI/NFPA 1901-2003.

(11) Scaffolding such as that covered in American National Standard for Construction and Demolition Operations-Scaffolding Safety-Requirements ANSI/ASSE A10.8 2001.

(12) Construction and demolition operation digger derricks such as those covered in American National Standard for Construction and Demolition Operations - Safety Requirements, Definitions, and Specifications for Digger Derricks, ANSI/ASSE A10.31-2013.

(13) Personnel carrying attachments or personnel platforms attached to or suspended from cranes built to the ANSI/ASTM B30 Standards. These excluded items are referred to in ANSI/ASTM B30.23, which provides guidance for the use of such apparatus on cranes.

1.2 Purpose. This standard applies to the establishment of criteria for design, manufacture, testing, inspection, installation, maintenance, use, training, and operation of vehicle-mounted aerial devices, primarily used to position personnel, installed on a chassis to achieve the following objectives:

- (1) Prevention of personal injuries and accidents.
- (2) Uniformity in ratings.
- (3) Understanding by manufacturers, dealers, brokers, installers, lessees, lessors, maintenance personnel, operators, owners, and users of their respective responsibilities.

1.3 Requirements. The requirements of this standard shall be met or exceeded.

1.4 Application. The design and manufacturing requirements of this standard apply to all aerial devices manufactured on or after the effective date. All other provisions of this standard apply to both new and existing units delivered by sale, lease, rental or by any other form of beneficial use on or after the effective date.